Boom Lift License Oakville

Boom Lift License Oakville - To operate an aerial boom lift, operators should be licensed through training that can be obtained utilizing both classroom sessions and practical training and by attaining a boom lift license. Instruction should be given with respect to the kind of aerial lift that will be used on the job. A License is needed for anyone who operates or works on an aerial boom lift.

Various types of vehicle-mounted aerial devices include aerial ladders, extensible boom platforms, articulating boom platforms, vertical towers, and whichever combination of these kinds.

When making use of a boom lift, there are several basic safety rules that apply to all boom lifts. Safety of the worker is a top priority while they are working inside the basket. The worker should always have on a body harness and lanyard, attaching it to the boom or basket. Never tie off to an adjacent pole, structure, or equipment. Employees should stand on the basket floor, and never climb or sit on the edge of the basket. The manufacturer's load restrictions must be followed.

Lift operators should be authorized to operate an aerial lift. The manufacturer's manual must be kept within the lift and the operator needs to be familiar with all aspects of that specific unit. Operators are responsible for making certain that safety measures are followed in operating the lift. Testing lift controls each day should be carried out. Set brakes and position outriggers (if they are utilized) on pads or a stable surface. When working on a slope, use wheel chocks.

Never move an aerial lift truck with an elevated boom whilst employees are in the basket. Extensible boom platforms and articulating boom utilized as personnel carriers must have accessible, plainly marked, upper controls. Except for in emergency conditions, lower controls must not be used to override upper controls unless the person within the lift gives consent.

Do not wear pole or tree climbers shall whilst working from an aerial lift.

Do not alter the insulated portion of the aerial lift.

Ensure that the booms are carefully inspected, that the machinery is correctly cradled and the outriggers are in the stowed position prior to moving.

Make certain that lifts being used near or in power lines are di-electrically tested and follow local regulations.